

HOWARD EISENBERG ISSUED U.S. PATENTS

| | | | |
|-----------|------------|----------------|--|
| 8,647,669 | 2/11/2014 | Soscia et al | Dosage Forms for Tamper Prone Therapeutic Agents |
| 8,629,249 | 1/14/2014 | Oliver et al | <i>Streptococcus uberis</i> Adhesion Molecule |
| 8,552,208 | 10/8/2013 | Lee | Analogs of Tetramic Acid |
| 8,518,413 | 8/27/2013 | Cain et al | Probiotic Bacterial Strains for Use to Decrease Mortality in Fish Due to Bacterial Disease |
| 8,507,001 | 8/13/2013 | Shukla et al | Dosage Forms for Tamper Prone Therapeutic Agents |
| 8,486,978 | 7/16/2013 | Winckle et al | Compositions and Methods for Treating Diseases of the Nail |
| 8,420,362 | 4/16/2013 | Crawford et al | In situ Precipitation of Calcium Carbonate (CaCO ₃) by Indigenous Microorganisms to Improve Mechanical Properties of Geomaterial |
| 8,420,111 | 4/16/2013 | Hermesmeyer | Method and Kit for Reducing the Symptoms of Peripheral Vascular Disease |
| 8,349,362 | 1/8/2013 | Soscia et al | Dosage Forms for Tamper Prone Therapeutic Agents |
| 8,288,434 | 10/16/2012 | Chang and Dow | Topical Pharmaceutical Formulations Containing a Low Concentration of Benzoyl Peroxide in Suspension in Water and a Water-Miscible Organic Solvent |
| 8,232,077 | 7/31/2012 | Bukovsky et al | Oocytes Derived from Ovarian Culture Initially Containing No Oocytes |
| 8,187,636 | 5/29/2012 | Soscia et al | Dosage Forms for Tamper Prone Therapeutic Agents |

| | | | |
|-----------|------------|---------------|---|
| 8,182,833 | 5/22/2012 | Hermesmeyer | Method and Kit for Reducing the Symptoms of Peripheral Vascular Disease with Topical Progesterone |
| 8,143,227 | 3/27/2012 | Dow et al | Azithromycin for Treatment of Skin Disorders |
| 8,124,123 | 2/28/2012 | Pillai et al | Controlled Release Azithromycin Solid Dosage Forms |
| 8,039,494 | 10/18/2011 | Winckle et al | Compositions and Methods for Treating Diseases of the Nail |
| 7,893,097 | 2/22/2011 | Yang | Methods and Compositions for Increasing Solubility of Azole Drug Compounds that are Poorly Soluble in Water |
| 7,829,523 | 11/9/2010 | Mayhew | Method for Stabilizing Polypeptides Lacking Methionine |
| 7,812,147 | 10/12/2010 | Oliver | <i>Streptococcus uberis</i> Adhesion Molecule |
| 7,794,939 | 9/14/2010 | Maki | Methods of DNA Methylation Detection |
| 7,740,864 | 6/22/2010 | Cain | Vaccines for Diseases of Fish |
| 7,713,715 | 5/11/2010 | Speer | Method for Diagnosing Infections |
| 7,705,197 | 4/27/2010 | Schrick | Embryo Development and Survival |
| 7,704,959 | 4/27/2010 | Osborne | Azithromycin for the Treatment of Nodular Acne |
| 7,674,783 | 3/9/2010 | Hermesmeyer | Estrogen Beta Receptor Agonists to Prevent or Reduce the Severity of Cardiovascular Disease |
| 7,629,116 | 12/8/2009 | Ott | Type I Interferon-Inducible Proteins to Detect Viral Infection |
| 7,572,780 | 8/11/2009 | Hermesmeyer | Method and Kit for Reducing the Symptoms of Peripheral Vascular Disease |
| 7,560,120 | 7/14/2009 | Shukla | Vehicles for Delivery of Biologically Active Substances |

| | | | |
|-----------|------------|----------|--|
| 7,524,511 | 4/28/2009 | Kleyne | Method and Kit for Moisturizing the Surface of the Eye |
| 7,517,955 | 4/14/2009 | Oliver | <i>Streptococcus uberis</i> Adhesion Molecule |
| 7,422,869 | 9/9/2008 | Eda | Methods for Diagnosing Infectious Diseases |
| 7,368,122 | 5/6/2008 | Dow | Skin Cream |
| 7,348,317 | 3/25/2008 | Chang | Aqueous Compositions Containing Metronidazole |
| 7,326,408 | 2/5/2008 | Angel | Topical Acne Vulgaris Medication with a Sunscreen |
| 7,323,620 | 1/29/2008 | Woods | Activation of Equine Oocytes |
| 7,276,350 | 10/2/2007 | Eda | Methods for Diagnosing Infectious Diseases |
| 7,252,816 | 8/7/2007 | Angel | Topical Acne Vulgaris Medication with a Sunscreen |
| 7,160,696 | 1/9/2007 | Sordillo | Bovine Lymphocyte-Derived Antibacterial Protein |
| 7,125,728 | 10/24/2006 | Ott | Determination of Pregnancy Status in Cattle and Sheep |
| 7,067,321 | 6/27/2006 | Wetzel | Polyglutamine Repeat Sequences |
| 7,041,859 | 5/9/2006 | Kabalka | Method for Halogenating or Radiohalogenating a Chemical Compound |
| 7,028,112 | 4/11/2006 | Lorenzen | Software and Process for Low-Latency Audio Recording |
| 6,960,346 | 11/1/2005 | Shukla | Vehicles for Delivery of Biologically Active Substances |
| 6,936,637 | 8/30/2005 | Johnson | Prevention of Apoptosis in Non-Cancerous Cells |
| 6,936,589 | 8/30/2005 | Naito | Parenteral Delivery Systems |

| | | | |
|-----------|------------|----------------|--|
| 6,916,852 | 7/12/2005 | Moore | Method for Regulation of Microvascular Tone |
| 6,881,726 | 4/19/2005 | Chang | Aqueous Compositions Containing Metronidazole |
| 6,878,122 | 4/12/2005 | Cordo | Method and Device for Rehabilitation of Motor Dysfunction |
| 6,733,976 | 5/11/2004 | Overturf | Detection of Bacterial Kidney Disease |
| 6,645,715 | 11/11/2003 | Griffith | Artificial Cornea |
| 6,602,487 | 8/5/2003 | Hermesmeyer | Methods and Tests for Producing and for Inhibiting Coronary Artery Vasospasms |
| 6,593,457 | 7/15/2003 | Sordillo-Gandy | Lymphocyte-Derived Antimicrobial Protein (LDAP) & Methods of Isolating & Producing & Using the Protein |
| 6,589,922 | 7/8/2003 | Dow | Skin Cleanser Comprising a Steareth, Poloxamer, and a Glyceryl Monoester |
| D472,009 | 3/18/2003 | Eisenberg | Lamp |
| 6,511,969 | 1/28/2003 | Hermesmeyer | Method for Reducing Coronary Artery Reactivity |
| 6,498,192 | 12/24/2002 | Johnson | Prevention of Apoptosis in Non-Cancerous Cells |
| 6,468,989 | 10/22/2002 | Chang | Gel Compositions Containing Metronidazole |
| 6,423,315 | 7/23/2002 | Myers | Synthetic Peptide for Treatment of Autoimmune Arthritis |
| 6,357,394 | 3/19/2002 | Waters | Cage for Housing Dangerous Animals |
| 6,294,520 | 9/25/2001 | Naito | Material for Passage Through the Blood-Brain Barrier |
| D440,226 | 4/10/2001 | Harvey | Computer Bezel |

| | | | |
|-----------|------------|-----------------|---|
| 6,117,843 | 9/12/2000 | Baroody | Compositions for the Treatment of Acne Containing Clindamycin and Benzoyl Peroxide |
| 6,108,818 | 8/29/2000 | Eisenberg | Skin Adherent Sweat Band |
| 6,096,322 | 8/1/2000 | Wilson | Pathogenicity and Protective Attributes of Major Clones of Escherichia coli Recovered from Chickens During Processing |
| 6,037,490 | 3/14/2000 | Kabalka | Boron-Containing Amino Carboxylic Acid Compounds and Uses Thereof |
| 5,981,280 | 11/9/1999 | Fang | Method and Constructs for Inhibiting Protein Expression in Bacteria |
| 5,962,025 | 10/5/1999 | Carbone | Method for Treatment of Systemic Sclerosis and Related Fibrotic Diseases |
| 5,944,250 | 8/31/1999 | Zagalskiy | Soldering Method and Apparatus |
| 5,932,479 | 8/3/1999 | Daniell | Genetic Engineering of Plant Chloroplasts |
| 5,888,501 | 3/30/1999 | Backman | Induced Systemic Resistance of Plants to Pathogenic Microorganisms |
| 5,859,308 | 1/12/1999 | Mirochnitchenko | Transgenic Animals and Related Aspects |
| 5,849,563 | 12/15/1998 | Miyata | Eukaryotes Expressing Single Stranded Hybrid Molecules |
| 5,843,919 | 12/1/1998 | Burger | Composition and Method for the Treatment of Arthritis |
| 5,821,052 | 10/13/1998 | Chen | Control of the Synthesis of Proteins by Antisense RNA-tRNA Complex |
| 5,786,166 | 7/28/1998 | Taylor | Methods for Determining Effects of a Compound on the Activity of Bacterial Periplasmic Oxidoreductase Enzymes |
| 5,783,505 | 7/21/1998 | Duckett | Compostable and Biodegradable Compositions of a Blend of Natural Cellulosic and Thermoplastic Biodegradable Fibers |

| | | | |
|-----------|------------|-------------|---|
| 5,780,269 | 7/14/1998 | Inouye | Hybrid Molecules |
| 5,766,567 | 6/16//1998 | Voirin | Method for Desulphurising a Gaseous Mixture Containing H ₂ S and SO ₂ |
| 5,753,736 | 5/19/1998 | Bhat | Dimensionally Stable Fibers and Non-Woven Webs |
| 5,736,138 | 4/7/1998 | Pfizenmaier | Monoclonal Antibodies with Specific Binding Against Membrane Proteins on Human Cells, and Pharmaceutical Compositions Containing Them |
| 5,733,886 | 3/31/1998 | Baroody | Compositions of Clindamycin and Benzoyl Peroxide for Acne Treatment |
| 5,725,781 | 3/10/1998 | Bousquet | Method and Catalyst for Forced Catalytic Deoxygenation of Sea Water |
| 5,719,021 | 2/17/1998 | Inouye | Protein Activation |
| 5,714,575 | 2/3/1998 | Inouye | Nucleic Acid Sequence, Stress-induced Proteins and Uses Thereof |
| 5,702,826 | 12/30/97 | Ehret | Laminated Nonwoven Webs Derived from Polymers of Lactic Acid and Process for Producing |
| 5,652,064 | 7/29/1997 | Mosser | Environmentally Friendly Coating Compositions, Bonding Solution, and Coated Parts |
| 5,650,235 | 7/22/1997 | McMordie | Platinum Enriched, Silicon-Modified Corrosion Resistant Aluminide Coating |
| 5,643,762 | 7/1/1997 | Ohshima | Method for Synthesizing Single-stranded Stem-Loop DNAs, the Products and Uses Therefor |
| 5,629,468 | 5/13/1997 | Schwarz | Root Stimulating Bacteria |

| | | | |
|-----------|------------|-----------|--|
| 5,604,351 | 2/18/1997 | Bisconte | Process and Apparatus for Automatic Analysis of Elements in Weak Concentration on a Support |
| 5,578,073 | 11/26/1996 | Haimovich | Thromboresistant Surface Treatment for Biomaterials |
| 5,563,120 | 10/8/1996 | Kuznetsov | Cytokine Preparation for Immunotherapy |
| 5,541,232 | 7/30/1996 | Howell | Treatment of Multidrug Resistant Diseases |
| 5,503,114 | 4/2/1996 | Castagna | Collar and Message Label Holder |
| 5,487,893 | 1/30/1996 | Vachy | Antiviral Use of a 2,6-Di-T-Butylphenol Compound Substituted in 4 Position Against Herpes Viruses and Papillomaviruses |
| 5,478,814 | 12/26/1995 | Packman | Hemorrhoidal, Other Compositions and Methods of Treatment |
| 5,470,971 | 11/28/1995 | Kondo | Stress-induced Proteins, Genes Coding Therefor, Transformed Cells of Organisms, Methods and Applications |
| 5,468,486 | 11/21/1995 | Reddick | Vaccine Containing a Protein Alkaloid Conjugate for the Treatment of Fescue Toxicosis |
| 5,436,141 | 7/25/1995 | Miyata | Method for Synthesizing Stable Single-Stranded cDNA in Eukaryotes by Means of a Bacterial Retron and Products |
| 5,434,070 | 7/18/1995 | Inouye | Reverse Transcriptases from Escherichia coli and Myxococcus xanthus |
| 5,405,775 | 4/11/1995 | Inouye | Retrons Coding for Hybrid DNA/RNA Molecules |
| 5,382,660 | 1/17/1995 | Taylor | TcpG Gene of Vibrio Cholerae |